



# PRODUCT INFORMATION

#3258-ACI

A very powerful special water based cleaner for Aircraft Interior Hard Surface Matarials.

The product is solvents/silicons free and waste water friendly. The Special Interior Cleaner product was developed at the request of experts engaged in the business of commercial and military aircraft maintenance. The high Ph value of the product produces a vigorous and efficient cleaning effect. The product has special inhibitors to enable safe application. In addition to its non-corrosive qualities, the product is highly appreciated by users in the aviation industry for its optimal performance. Depending of the level of contamination to be removed, the product may be diluted with water, as shown below. With heavy contamination of hard surface matarials, the product may beginning to diluted 1:3 (water). For general cleaning purposes the product requires a dilution of 1:10 (water) Can be re-used as the provided pH continues to meet specifications and can be used as "Spray on & wipe off" process. The product has been tested and certified AMS 1550 B SMI Miami USA by both Boeing and Douglas. The product is applied by spraying directly on to the interior of the Aircraft, and spread over the surface, it is safe to apply on all internal hard surfaces including the acrylic glass. The reduced set up time for cleaning a Aircraft, combines with the flexibility of a non-flammable product which can be used anywhere, allowing considerably improved Aircraft cleaning options and reduces cleaning costs.

## **Chemical and Physical Properties**

➡ Ph concentration : 11-12 Approv

Soluble with water: 100%

Biodegradable: Approved by European rules

➡ Dilution: Heavy Contamination: 1:3 / General Cleaning: 1:10

➡ Water Danger class: 0

# Standards / Certificates and approvals

- √ AMS 1550 B
- ✓ Mil-PRF-85570
- √ ARP 1755 B/ASTM.F 519/ASTM F 945-98 on AMS 4911 Allov
- √ Airbus AIMS 09-00-002 issue #1



#### Package:

20 Ltr, 210 Ltr, 1,000 Ltr.

#### Shelf life:

4 years

## Storage:

→ Do not store under 35 ° F/2° C and not above 122° F/50° C

Do not use below 35 <sup>o</sup> F/2<sup>o</sup> C.

Water Danger Class









Also available: Aircraft exterior cleaners, and solvent-free engine and bearing cleaners, aircraft hydraulic cleaners etc. for further information. Please contact ETS International Turkey Ltd.

ETS Ekolojik Teknolojik Temizlik Çözümleri LTD. ŞTİ - Erenler Sokak No 6 Soğanlık / Kartal TR 34880 İstanbul Tel +90 (0) 216 606 0 666 info@etsturkiye.com www.etsturkiye.com

#### IN ACCORDANCE WITH THE REACH-ENACTMENT (EG) -Nr. 1907/2006, art.31 appendix II

Disclaimer: This information relates to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is to the best of our knowledge and belief, accurate and reliable as of the date compiled. However, no representation, warranty or guarantee is made as to its accuracy, reliability or completeness. NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE,OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED,IS MADE CONCERNING THE INFORMATION HEREIN PROVIDED. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept lightly for any loss or damage that may occur from the use of this information nor do we offer warranty against patent infringement. IN ACCORDANCE WITH THE EU DIRECTIVE 2001/58/EC. art.31 appendix II